

ERIC[®]
REDEFINED BEAUTY ▾

kitchen
collection

300x450mm
Digital Wall Tiles

Vol-2







THE KITCHEN IS THE HEART OF THE HOME

Tuscania exquisite range of kitchen ceramic wall tiles are a connoisseurs dream. Each kitchen wall tile is made using ultra-modern technology which enables us to produce futuristic designs that are not only beautiful but also strong and durable. Our frequent quality checks ensure that every kitchen-wall tile that reaches our customers is of exceptional quality.

The designer kitchen tiles are sure to leave everyone mesmerized with their unique motifs and splendid colour schemes. Our range of kitchen wall tiles vary from the old classics to ultra-modern enabling us to cater to the personalized needs of our customers. A very stylish and quick way to break the visual monotony of your kitchen is to upgrade the kitchen walls using wall tiles.


It will not only make your room look trendy but robust also. Oasis makes some super stylish wall tiles for the kitchen that involve unparalleled artistry and innovative technology. These tiles are crafted to perfection and can be used in many ways.

TECHNICAL DETAILS



kitchen
Collection





Delightful Panorama

Surface is glossy and reveals to the touch a slight relief, reminiscent of unfinished gypsum. Available in 9 mm thickness, it is ideal for floorings and vibrant coverings. The requirements of architecture vary over time, therefore, proposes solutions and surfaces that guarantee high levels of technical and aesthetic qualities while also respecting the needs of the construction.

The Tuscania product, with its unique manufacturing system, extrusion, is capable of generating different colors and patterns of special pieces, thus facilitating placement by a professional. The Kitchen series guarantee functionality and a high aesthetic content in each type of project. From urban architecture, industrial use and even use in all types of designs of a residential hotels, Restaurant & Banquets cladding.







REDISCOVER THE JOY OF COOKING WITH KITCHEN

The Tuscania company specializes in fine wall tiles with a contemporary innovative aesthetic, created with latest-generation technological processes. Tuscania products are intended for public, commercial, industrial and technical buildings as well as for private homes.

The Kitchen collections in the catalogue offer inimitable performance and application scope, to respond to the technological and design needs of architects and designers. An intimate connection between architecture, technology and nature. In the Kitchen collection, wall tiles interpret the beauty of travertine, with the typical effects.

Powerfully expressive tiles, whose wealth of nuances and color variations describe materials source from different quarries. The series mirrors the elegance of treatments developed through graphical patterns reproducing the surface textures.





11503



11504-HL-1



11504



11504-HL-2







11507



11508-HL-1




11508




11508-HL-2



11515



11516



11516-HL-1



11516-HL-2



11516-HL-3




11519



11520-HL-1




11520



11521



11522-HL-1



11522



11520-HL-2



11522-HL-2




kitchen
collection



11523



11524-HL-1




11524



11524-HL-2








11525



11526-HL-1



11526



11526-HL-2




11527



11527-HL-1




11527-HL-1



11531



11531-HL-1




11531-HL-2



11533



11534-HL-1



11534



11534-HL-2

TECHNICAL

DETAILS

	PROPERTIES	INTERNATIONAL STD.	VALUE	TEST METHOD
1.	Deviation in Length	± 0.5%	± 0.3%	EN 98
2.	Deviation in Thickness	± 5.0%	± 4.0%	EN 98
3.	Rectangularity	± 0.5%	± 0.2%	EN 98
4.	Surface Flatness	± 0.5%	± 0.2%	EN 98
5.	Water Absorption	10%	12-14%	EN 98
6.	Moh's Hardness	Min. 3	Min. 3	EN 101
8.	Modules of Rupture	153 Kgs./cm ²	183 Kgs./cm ²	EN 100
9.	Chemical Resistance	Resistance to all expert hydrofluoric acid & it's compounds	Resistance to all expert hydrofluoric acid & it's compounds	EN 102
10.	Thermal Shock Resistance	Required	10 Cycles	EN 104
11.	Crazing Resistance	Required	in Conformity with the norms	EN 105

	DETAILS PRINTING SPECIFICATION	SCREEN PRINTING SPECIFICATION	DIGITAL PRINTING SPECIFICATION
1.	 Naturally Varying Design	No	Yes
2.	 Printing Accuracy	Low	High
3.	 Printing Consistency	Low	High
4.	 Printing Resolution (DPI)	60-80	350-1000
5.	 Print on uneven surface	Not Possible	Easily Possible
6.	 Customization	No	Easily Possible
8.	 Edge to Edge Printing	No	Edge to Edge Printing
10.	 Design Range	Limited	Endless
11.	 Number of Printing Colours	2-4	No Limit

PACKING DETAILS

SIZE	THICKNESS (Approx.)	Pcs / Box	Area / Box	Wt. / Box (Approx.)
300x450mm	7.7mm	6 pcs	0.81 sq. mtr.	10.500kg
300x300mm	7.5mm	8 pcs	0.72 sq. mtr.	9.300kg

Note: Colour Shown are as accurate as the limitations of the printing process will allow. prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

